

O-rõngas, NBR70



Tootegrupp	849
Materjal	NBR 70
Värv	Must
Maksimaalne temperatuur (°C)	100
Minimaalne temperatuur (°C)	-30

Tootekood	Paksus (mm)	Sisediaameeter (mm)	Välisdiaameeter (mm)
5K00170017018	1.78	1.78	-
5K00170020010	1	2	-
5K00170020015	1.5	2	-
5K00170020025	2.5	2.5	-
5K00170025010	1	2.5	-
5K00170025012	1.2	2.5	-
5K00170025020	2	2.5	-
5K00170029018	1.78	2.9	-
5K00170030010	1	3	-
5K00170030015	1.5	3	-
5K00170030020	2	3	-
5K00170030031	3	3	-
5K00170033024	2.4	3.3	-
5K00170035011	1.1	3.5	-
5K00170036026	2.62	3.63	-
5K00170037018	1.78	3.69	-
5K00170040010	1	4	-
5K00170040015	1.5	4	-
5K00170040020	2	4	-
5K00170040025	2.5	4	-
5K00170043024	2.4	4.3	-
5K00170044026	2.62	4.42	-
5K00170045010	1	4.5	-
5K00170045015	1.5	4.5	-
5K00170045018	1.78	4.48	-



Tootekood	Paksus (mm)	Sisediameeter (mm)	Välisdiameeter (mm)
5K00170045020	2	4.5	-
5K00170050010	1	5	-
5K00170050015	1.5	5	-
5K00170050020	2	5	-
5K00170050025	2.5	5	-
5K00170050040	4	5	-
5K00170051016	1.6	5.1	-
5K00170053018	1.78	5.28	-
5K00170053024	2.4	5.3	-
5K00170060010	1	6	-
5K00170060015	1.5	6	-
5K00170060018	1.78	6	-
5K00170060020	2	6	-
5K00170060025	2.5	6	-
5K00170060026	2.62	6.02	-
5K00170060030	3	6	-
5K00170060050	5	6	-
5K00170061016	1.6	6.1	-
5K00170063024	2.4	6.6	-
5K00170065030	3	6.5	-
5K00170068018	1.78	6.75	-
5K00170070010	1	7	-
5K00170070015	1.5	7	-
5K00170070020	2	7	-
5K00170070025	2.5	7	-
5K00170070030	3	7	-
5K00170070035	3.5	7	-
5K00170070040	4	7	-
5K00170073024	2.4	7.3	-
5K00170075035	3.53	7.52	-
5K00170076026	2.62	7.59	-
5K00170077018	1.78	7.66	-
5K00170079018	1.78	7.94	-
5K00170080010	1	8	-
5K00170080015	1.5	8	-
5K00170080020	2	8	-
5K00170080025	2.5	8	-
5K00170080030	3	8	-
5K00170080035	3.5	8	-
5K00170080040	4	8	-
5K00170080050	5	8	-
5K00170081016	1.6	8.1	-

Tootekood	Paksus (mm)	Sisediameeter (mm)	Välisdiameeter (mm)
5K00170083024	2.4	8.3	-
5K00170087018	1.78	8.73	-
5K00170089018	1.83	8.92	-
5K00170090010	1	9	-
5K00170090015	1.5	9	-
5K00170090020	2	9	-
5K00170090025	2.5	9	-
5K00170090030	3	9	-
5K00170155026	2.62	15.54	-
5K00170173024	2.4	17.3	-
5K00170362030	-	36.2	3
5K00170472035	3.53	47.22	-
5K00170672057	5.7	67.2	-
5K00171800030	3	180	-
5K00171820030	3	182	-

