

O-rõngas, NBR70, Ø 100-123 mm




Tootegrupp	849
Materjal	NBR 70
Värv	Must
Maksimaalne temperatuur (°C)	100
Minimaalne temperatuur (°C)	-30

Tootekood	Sisediaameeter (mm)	Paksus (mm)
5K00171000015	100	1.5
5K00171000020	100	2
5K00171000030	100	3
5K00171000040	100	4
5K00171000050	100	5
5K00171000060	100	6
5K00171000070	100	7
5K00171009753	100.97	5.33
5K00171010045	101	4.5
5K00171010053	101	5.33
5K00171012035	101.2	3.53
5K00171013026	101.27	2.62
5K00171020030	102	3
5K00171040035	104	3.5
5K00171040040	104	4
5K00171042057	104.3	5.7
5K00171044018	104.4	1.78
5K00171044035	104.37	3.53
5K00171045030	104.5	3
5K00171050025	105	2.5
5K00171050040	105	4
5K00171050050	105	5
5K00171050060	105	6
5K00171070025	107	2.5
5K00171073053	107.32	5.33



Tootekood	Sisediameeter (mm)	Paksus (mm)
5K00171075035	107.54	3.53
5K00171076026	107.63	2.62
5K00171077018	107.7	1.78
5K00171080030	108	3
5K00171080040	108	4
5K00171080050	108	5
5K00171090050	109	5
5K00171093057	109.3	5.7
5K00171095030	109.5	3
5K00171100020	110	2
5K00171100030	110	3
5K00171100040	110	4
5K00171100050	110	5
5K00171100060	110	6
5K00171105053	110.49	5.33
5K00171107018	110.74	1.78
5K00171107035	110.72	3.53
5K00171120030	112	3
5K00171120040	112	4
5K00171137053	113.67	5.33
5K00171139026	113.98	2.62
5K00171139035	113.9	3.53
5K00171140017	114	1.78
5K00171143057	114.3	5.7
5K00171145030	114.5	3
5K00171150020	115	2
5K00171150025	115	2.5
5K00171150030	115	3
5K00171150040	115	4
5K00171150045	115	4.5
5K00171150060	115	6
5K00171168053	116.84	5.33
5K00171168070	116.84	6.99
5K00171171035	117.07	3.53
5K00171175053	117.48	5.33
5K00171180030	118	3
5K00171180040	118	4
5K00171193057	119.3	5.7
5K00171195030	119.5	3
5K00171200020	120	2
5K00171200040	120	4
5K00171200050	120	5



Tootekood	Sisediameeter (mm)	Paksus (mm)
5K00171200060	120	6
5K00171202435	120.24	3.53
5K00171220030	122	3
5K00171220080	122	8
5K00171230035	123	3.5
5K00171234035	123.42	3.53

