

O-rõngas, NBR70, Ø 31-41 mm



Tootegrupp	849
Materjal	NBR 70
Värv	Must
Maksimaalne temperatuur (°C)	100
Minimaalne temperatuur (°C)	-30

Tootekood	Sisediameeter (mm)	Välisdiameeter (mm)	Paksus (mm)
5K00170310025	31	-	2.5
5K00170310045	31	-	4.5
5K00170312030	31	-	3
5K00170313035	31.34	-	3.53
5K00170314026	31.42	-	2.62
5K00170320020	32	-	2
5K00170320025	32	-	2.5
5K00170320030	32	-	3
5K00170320040	32	-	4
5K00170320050	32	-	5
5K00170320080	32	-	8
5K00170326053	32.69	-	5.33
5K00170329035	32.92	-	3.53
5K00170330020	33	-	2
5K00170330030	33	-	3
5K00170330035	33	-	3.5
5K00170333024	33.3	-	2.4
5K00170340010	34	-	1
5K00170340015	34	-	1.5
5K00170340025	34	-	2.5
5K00170340040	34	-	4
5K00170342030	34.2	-	3
5K00170343053	34.29	-	5.33
5K00170345035	34.52	-	3.53
5K00170345926	34.59	-	2.62



Tootekood	Sisediaameeter (mm)	Välisdiaameeter (mm)	Paksus (mm)
5K00170346517	34.65	-	1.78
5K00170350020	35	-	2
5K00170350030	35	-	3
5K00170350040	35	-	4
5K00170350045	35	-	4.5
5K00170350050	35	-	5
5K00170350080	35	-	8
5K00170360020	36	-	2
5K00170360040	36	-	4
5K00170360050	36	-	5
5K00170361035	36.09	-	3.53
5K00170362026	36.17	-	2.62
5K00170362030	36.2	3	-
5K00170365037	36.5	-	3.75
5K00170370020	37	-	2
5K00170372030	37.2	-	3
5K00170374753	37.47	-	5.33
5K00170377035	37.69	-	3.53
5K00170380020	38	-	2
5K00170380025	38	-	2.5
5K00170380030	38	-	3
5K00170380035	38	-	3.5
5K00170380040	38	-	4
5K00170380050	38	-	5
5K00170380060	38	-	6
5K00170392030	39.2	-	3
5K00170392057	39.2	-	5.7
5K00170393026	39.34	-	2.62
5K00170395015	39.5	-	1.5
5K00170397035	39.69	-	3.53
5K00170400015	40	-	1.5
5K00170400020	40	-	2
5K00170400025	40	-	2.5
5K00170400030	40	-	3
5K00170400040	40	-	4
5K00170400050	40	-	5
5K00170406053	40.65	-	5.33
5K00170409026	40.94	-	2.62
5K00170409035	40.87	-	3.53
5K00170410020	41	-	2
5K00170410025	41	-	2.5
5K00170410050	41	-	5

Tootekood	Sisediameeter (mm)	Välisdiameeter (mm)	Paksus (mm)
5K00170412057	41.2	-	5.7
5K00170413035	41.25	-	3.53

