

O-rõngas, NBR90, Ø 0-23 mm




Tootegrupp	849
Materjal	NBR 90
Värv	Must
Maksimaalne temperatuur (°C)	100
Minimaalne temperatuur (°C)	-30

Tootekood	Sisediameeter (mm)	Paksus (mm)
5K00190029018	2.9	1.78
5K00190037018	3.68	1.78
5K00190044718	4.47	1.78
5K00190050020	5	2
5K00190050025	5	2.5
5K00190052818	5.28	1.78
5K00190060015	6	1.5
5K00190060226	6.02	2.62
5K00190060718	6.07	1.78
5K00190070020	7	2
5K00190070030	7	3
5K00190073024	7.3	2.4
5K00190076516	7.65	1.63
5K00190076526	7.6	2.62
5K00190080015	8	1.5
5K00190080020	8	2
5K00190087318	8.73	1.78
5K00190092026	9.19	2.62
5K00190100020	10	2
5K00190100025	10	2.5
5K00190103024	10.3	2.4
5K00190107826	10.78	2.62
5K00190108218	10.82	1.78
5K00190110025	11	2.5
5K00190120015	12	1.5



Tootekood	Sisediaameeter (mm)	Paksus (mm)
5K00190120020	12	2
5K00190120025	12	2.5
5K00190123024	12.3	2.4
5K00190123726	12.37	2.62
5K00190131016	13.1	1.6
5K00190131026	13.1	2.6
5K00190133024	13.3	2.4
5K00190139526	13.95	2.62
5K00190140018	14	1.78
5K00190140020	14	2
5K00190140025	14	2.5
5K00190140030	14	3
5K00190143024	14.3	2.4
5K00190153024	15.3	2.4
5K00190155426	15.54	2.62
5K00190158826	15.88	2.62
5K00190160015	16	1.5
5K00190160020	16	2
5K00190160025	16	2.5
5K00190163024	16.3	2.4
5K00190170025	17	2.5
5K00190171326	17.13	2.62
5K00190171618	17.16	1.7
5K00190175020	17.5	2
5K00190180010	18	1
5K00190185020	18.5	2
5K00190187226	18.72	2.62
5K00190190025	19	2.5
5K00190192030	19	3
5K00190193024	19.3	2.4
5K00190200020	20	2
5K00190200025	20	2.5
5K00190200030	20	3
5K00190202235	20.22	3.53
5K00190202926	20.29	2.62
5K00190203518	20.35	1.78
5K00190210020	21	2
5K00190216024	21.6	2.4
5K00190219026	21.89	2.62
5K00190219518	21.95	1.78
5K00190220030	22	3
5K00190221016	22.1	1.6





Tootekood	Sisediaameeter (mm)	Paksus (mm)
5K00190225030	22.5	3
5K00190230030	23	3
5K00190234035	23.4	3.53
5K00190234726	23.47	2.62
5K00190238126	23.81	2.62

