

O-rõngas, Viton, Ø 15-39 mm




Tootegrupp	849
Materjal	Viton
Maksimaalne temperatuur (°C)	200
Minimaalne temperatuur (°C)	-15

Tootekood	Sisediameeter (mm)	Paksus (mm)
5K00280150030	15	3
5K00280150035	15	3.5
5K00280150050	15	5
5K00280155426	15.54	2.62
5K00280160020	16	2
5K00280160025	16	2.5
5K00280160030	16	3
5K00280170020	17	2
5K00280170535	17.05	3.53
5K00280171026	17.13	2.62
5K00280180020	18	2
5K0028018002090	18	2
5K00280180025	18	2.5
5K00280180030	18	3
5K00280180050	18	5
5K00280186435	18.64	3.53
5K00280187026	18.72	2.62
5K00280188018	18.77	1.78
5K00280190020	19	2
5K00280190030	19	3
5K00280190040	19	4
5K00280190526	19.05	2.62
5K00280200020	20	2
5K00280200025	20	2.5
5K00280202235	20.22	3.53



Tootekood	Sisediaameeter (mm)	Paksus (mm)
5K00280203026	20.3	2.62
5K00280210015	21	1.5
5K00280213024	21.3	2.4
5K00280218235	21.82	3.53
5K00280219518	21.95	1.78
5K00280220040	22	4
5K00280220050	22	5
5K00280222026	22.23	2.62
5K00280240030	24	3
5K00280250020	25	2
5K00280250030	25	3
5K00280250726	25.07	2.62
5K00280251016	25.1	1.6
5K00280251018	25.12	1.78
5K00280253024	25.3	2.4
5K00280258035	25.8	3.53
5K00280260030	26	3
5K00280260050	26	5
5K00280266035	26.58	3.53
5K00280273024	27.3	2.4
5K00280279453	27.94	5.33
5K00280280030	28	3
5K00280281735	28.17	3.53
5K00280283017	28.3	1.78
5K00280290030	29	3
5K00280295153	29.51	5.33
5K00280300020	30	2
5K00280300030	30	3
5K00280300045	30	4.5
5K00280300050	30	5
5K00280310035	31	3.5
5K00280314718	31	1.78
5K00280320030	32	3
5K00280320040	32	4
5K00280329235	32.92	3.53
5K00280340030	34	3
5K00280350030	35	3
5K00280360040	36	4
5K00280370015	37	1.5
5K00280377035	37.69	3.53
5K00280380010	38	1
5K00280380030	38	3





Tootekood	Sisediaameeter (mm)	Paksus (mm)
5K00280380035	38	3.5
5K00280380040	38	4
5K00280390030	39	3
5K00280393026	39.94	2.62
5K00280397035	39.7	3.53

