

O-rõngas, Viton, Ø 85-... mm




Tootegrupp	849
Materjal	Viton
Maksimaalne temperatuur (°C)	200
Minimaalne temperatuur (°C)	-15

Tootekood	Sisediameeter (mm)	Paksus (mm)
5K00280850020	85	2
5K00280850050	85	5
5K00280850070	85	7
5K00280850953	85.09	5.33
5K00280880030	88	3
5K00280882053	88.27	5.33
5K00280885726	88.57	2.62
5K00280896953	89.69	5.33
5K00280900060	90	6
5K00280920025	92	2.5
5K00280920030	92	3
5K00280946053	94.62	5.33
5K00280948435	94.84	3.53
5K00280950040	95	4
5K00280978053	97.8	5.33
5K00281000070	100	7
5K00281009753	100.97	5.33
5K00281011935	101.19	3.53
5K00281020030	102	3
5K00281041453	104.14	5.33
5K00281043735	104.37	3.53
5K00281050060	105	6
5K00281076226	107.62	2.62
5K00281080020	108	2
5K00281080040	108	4



Tootekood	Sisediameeter (mm)	Paksus (mm)
5K00281080050	108	5
5K00281095030	109.5	3
5K00281100025	110	2.5
5K00281104953	110.49	5.33
5K00281136753	113.67	5.33
5K00281139826	113.98	2.62
5K00281170735	117.07	3.53
5K00281200035	120	3.5
5K00281203326	120.33	2.62
5K00281203718	120.37	1.78
5K00281220030	122	3
5K00281260045	126	4.5
5K00281266726	126.67	2.62
5K00281270025	127	2.5
5K00281320060	132	6
5K00281345030	134.5	3
5K00281345069	134.5	6.99
5K002813500100	135	1
5K00281360050	136	5
5K00281395030	139.5	3
5K00281400040	140	4
5K00281445030	144.5	3
5K00281500030	150	3
5K00281500040	150	4
5K00281520726	152.07	2.62
5K00281584326	158.43	2.62
5K00281585030	158.5	3
5K00281600030	160	3
5K00281645030	164.5	3
5K00281710035	171.5	3.53
5K00281800040	180	4
5K00281830030	183	3
5K00281837435	183.74	3.53
5K00281873369	187.33	6.99
5K00281892057	189.2	5.7
5K00281900070	190	7
5K00281901035	190.1	3.53
5K00281905030	190.5	3
5K00281950080	195	8
5K00282091435	209.14	3.53
5K00282280080	228	8
5K00282490084	249	8.4





Tootekood	Sisediaameeter (mm)	Paksus (mm)
5K00282535035	253.59	3.53
5K00282535769	253.57	6.99
5K00283100060	310	6
5K00283150025	315	2.5
5K00283393057	339.3	5.7
5K00284306635	430.66	3.53

